Volume 14 1981

THE GREAT LAKES ENTOMOLOGIST

INDEX

Compiled by George C. Heaton

Number	*Publication Date*
1	22 Apr. 1981
2	14 July 1981
3	15 Oct. 1981
4	6 Jan. 1982

PUBLISHED BY
THE MICHIGAN ENTOMOLOGICAL SOCIETY

THE GREAT LAKES ENTOMOLOGIST
VOLUME XIV (1981)
AUTHOR INDEX

Armbrust, Edward J. (See Barney, Robert J. and Edward J. Armbrust), 57.

Barney, Robert J. and Edward J. Armbrust. Key Parameter Comparisons of Fungal Induced Mortality in Alfalfa Weevil Larvae (Coleoptera: Curculionidae), 57.

Beatty, J. A. (See Summers, Gerald, J. A. Beatty, and Nanette Magnuson), 59.

Benjamin, D. M. (See Haack, R. A., D. M. Benjamin, and B. A. Schuh), 113.

Benjamin, D. M. (See Harrell, M. O, D. M. Benjamin, J. G. Berbee, and T. R. Burkot), 181.

Berbee, J. G. (See Harrell, M. O., D. M. Benjamin, J. G. Berbee, and T. R. Burkot), 181.

Bieman, Donald N. and J. A. Witter. Differences in Emergence Date and Size between the Sexes of *Malacosoma americanum* the Eastern Tent Caterpillar (Lepidoptera: Lasiocampidae), 51.

Bland, R. G. Survival and Food Detection by First-instar *Melanoplus femurrubrum* (Orthoptera: Acrididae), 197.

Britt, N. Wilson (See Lamp, William O. and N. Wilson Britt), 151.

Burkot, T. R. (See Harrell, M. O., D. M. Benjamin, J. G. Berbee, and T. R. Burkot), 181.

Cameron, Randall G. (See Troilo, David B. and Randall G. Cameron), 191.

Coppel, H. C. (See Mohamed, M. A., H. C. Coppel, D. J. Hall and J. D. Podgwaite), 177.

Cranshaw, Whitney S. (See Zalom, Frank G. and Whitney S. Cranshaw), 171.

Deyrup, Mark. Annotated List of Indiana Scolytidae (Coleoptera), 1.

Dunn, Gary A. New Records of *Pasimachus elongatus* in Michigan (Coleoptera: Carabidae: Scaritini), 206.

Gosling, D. C. L. Correct Identity of the Oak Twig Pruner (Coleoptera: Cerambycidae), 179.

Guppy, J. C. (See Harcourt, D. G., J. C. Guppy, D. M. MacLeod, and D. Tyrrell), 55.

Haack, R. A., D. M. Benjamin, and B. A. Schuh. Observations on the Biology of *Phasgonophora sulcata* (Hymenoptera: Chalcididae), a Larval Parasitoid of the Twolined Chestnut Borer, *Agrilus bilineatus* (Coleoptera: Buprestidae), in Wisconsin, 113.

Hall, D. J. (See Mohamed, M. A., H. C. Coppel, D. J. Hall and J. D. Podgwaite), 177.

Hanna, Murray. Gypsy Moth (Lepidoptera: Lymantriidae) Survey in Michigan, 103.

Hansen, Michael K. (See Wagner, W. H., Jr., Michael K. Hansen, and Michael R. Mayfield), 159.

Harcourt, D. G., J. C. Guppy, D. M. MacLeod, and D. Tyrrell. Two Entomophthora Species Associated with Disease Epizootics of the Alfalfa Weevil, *Hypera postica* (Coleoptera: Curculionidae), in Ontario, 55.

Harrell, M. O., D. M. Benjamin, J. G. Berbee, and T. R. Burkot. Evaluation of Adult Cottonwood Leaf Beetle, *Chrysomela scripta* (Coleoptera: Chrysomelidae), Feeding Preference for Hybrid Poplars, 181.
Harrington, B. J. (See Kingsley, P. C. and B. J. Harrington), 141.
Hodson, A. C. The Response of Aspen (Populus tremuloides) to Artificial Defoliation, 167.
Hubbard, Michael D. Type-species Designation for the Jurassic Mayfly Genus *Mesephemera* (Ephemeroptera: Mesephemeridae), 69.
Kennedy, Bruce H. Oviposition by *Dendrosoter protuberans* (Hymenoptera: Braconidae) on Larvae of *Scolytus multistriatus* (Coleoptera: Scolytidae) Occupied by Larvae of *Entedon leucogramma* (Hymenoptera: Eulophidae), 109.
Kingsley, P. C. and B. J. Harrington. Development of *Orius insidiosus* (Hemiptera: Anthocoridae) in Relation to Temperature, 141.
Lamp, William O. and N. Wilson Britt. Resource Partitioning by Two Species of Stream Mayflies (Ephemeroptera: Heptageniidae), 151.
Luhman, John C. Descriptions of Three New Species of Nearctic Ctenopelmatinae (Hymenoptera: Ichneumonidae), 117.
MacLeod, D. M. (See Harcourt, D. G., J. C. Guppy, D. M. MacLeod, and D. Tyrrell), 55.
Magnuson, Nanette (See Summers, Gerald, J. A. Beatty, and Nanette Magnuson), 59.
Mahar, Joseph M. and Mark P. Oemke. A North American Record for *Valgus hemipterus* (Coleoptera: Scarabaeidae) and Information on its Life Cycle, 77.
Mayfield, Michael R. (See Wagner, W. H., Jr., Michael K. Hansen, and Michael R. Mayfield), 159.
McPherson, J. E. and B. C. Weber. Seasonal Flight Patterns of Hemiptera in a North Carolina Black Walnut Plantation. 2. Coreoidea, 11.
McPherson, J. E. and B. C. Weber. Seasonal Flight Patterns of Hemiptera in a North Caroline Black Walnut Plantation. 3. Reduvioidea, 15.
McPherson, J. E. and B. C. Weber. Seasonal Flight Patterns of Hemiptera in a North Caroline Black Walnut Plantation. 4. Cimicoidea, 19.
McPherson, J. E. and B. C. Weber. Seasonal Flight Patterns of Hemiptera in a North Carolina Black Walnut Plantation. 5. Lygaeoidea, 133.
McPherson, J. E. and B. C. Weber. Seasonal Flight Patterns of Hemiptera in a North Carolina Black Walnut Plantation. 6. Tingidae and Aradidae, 137.
McPherson, J. E. and T. E. Vogt. The First Report of the Occurrence of *Mecidea major* (Hemiptera: Pentatomidae) in Illinois, 70.
McPherson, J. E. (See Sites, R. W. and J. E. McPherson), 81.
McPherson, J. E. (See Sites, R. W. and J. E. McPherson), 205.
McPherson, J. E. (See Wilson, S. W. and J. E. McPherson), 45, 49.
Miller, Gary L. (See Wheeler, A. G., Jr. and Gary L. Miller), 23.
Mitchell, Lee and C. Lee Rockett. An Investigation on the Larval Habitat of Five Species of Tree-hole Breeding Mosquitoes (Diptera: Culicidae), 123.
Mohamed, M. A., H. C. Coppel, D. J. Hall, and J. D. Podgwaite. Field Release of Virus-sprayed Adult Parasitoids of the European Pine Sawfly (Hymenoptera: Diprionidae) in Wisconsin, 177.
Oemke, Mark P. (See Mahar, Joseph M. and Mark P. Oemke), 77.
Podgwaite, J. D. (See Mohamed, M. A., H. C. Coppel, D. J. Hall and J. D. Podgwaite), 177.

Rockett, C. Lee (See Mitchell, Lee and C. Lee Rockett), 123.
Schuh, B. A. (See Haack, R. A., D. M. Benjamin, and B. A. Schuh), 113.
Sites, R. W. and J. E. McPherson. A List of the Butterflies (Lepidoptera: Papilionoidea) of the La Rue-Pine Hills Ecological Area, 81.
Sites, R. W. and J. E. McPherson. The First Records in Illinois of Heliconius charitonius (Lepidoptera: Heliconiidae) and *Phoebis agarithe* (Lepidoptera: Pieridae), 205.
Summers, Gerald, J. A. Beatty and Nanette Magnuson. A Checklist of Illinois Centipedes (Chilopoda): Supplement, 59.
Troilo, David B. and Randall G. Cameron. Comparative Behavior of *Pyrellia Cyanicolor* (Diptera: Muscidae) on the Moss *Splachnum ampullaceum* and on Substrates of Nutritional Value, 191.
Tyrrell, D. (See Harcourt, D. G., J. C. Guppy, D. M. MacLeod, and D. Tyrrell), 55.
Vogt, T. E. (See McPherson, J. E. and T. E. Vogt), 70.
Voss, Edward G. Moths of the Douglas Lake Region (Emmet and Cheboygan Counties), Michigan: II. Noctuidae (Lepidoptera), 87.
Wagner, W. H., Jr., Michael K. Hansen, and Michael R. Mayfield. True and False Foodplants of *Callosamia promethea* (Lepidoptera: Saturniidae) in Southern Michigan, 159.
Webb, Donald W. Redescription of *Micropsectra polita* (Diptera: Chironomidae) with the Female and Immature Stages, 185.
Weber, B. C. (See McPherson, J. E. and B. C. Weber), 11, 15, 19, 133, 137.
Weber, B. C. and S. W. Wilson. Seasonal and Vertical Distributions of Planthoppers (Homoptera: Fulgoroidea) Within a Black Walnut Plantation, 71.
Wheeler, A. G., Jr. and Gary L. Miller. Fourlined Plant Bug (Hemiptera: Miridae), A Reappraisal: Life History, Host Plants, and Plant Response to Feeding, 23.
Wheeler, A. G., Jr. Hawthorn Lace Bug (Hemiptera: Tingidae), First Record of Injury to Roses, with a Review of Host Plants, 37.
Wilson, Stephen W. The First Record of *Phrictopyga occidentalis* in the United States (Homoptera: Fulgoroidea: Delphacidae).
Wilson, S. W. and J. E. McPherson. Ontogeny of the Tibial Spur in *Megamelus davisi* (Homoptera: Delphacidae) and its Bearing on Delphacid Classification, 49.
Wilson, S. W. and J. E. McPherson. Notes on the Biology of *Nersia florens* (Homoptera: Fulgoroidea: Dictyopharidae) with Descriptions of Eggs, and First, Second, and Fifth Instars, 45.
Wilson, S. W. (See Weber, B. C. and S. W. Wilson), 71.
Witter, J. A. (See Bieman, Donald N. and J. A. Witter), 51.
Wolff, Robert J. Wolf Spiders of the Genus *Pardosa* (Araneae: Lycosidae) in Michigan, 63.
Zalom, Frank G. The Influence of Reflective Mulches and Lettuce Types on the Incidence of Aster Yellows and Abundance of its Vector, Macrosteles fascifrons (Homoptera: Cicadellidae), in Minnesota, 145.
Zalom, Frank G. and Whitney S. Cranshaw. Effects of Aluminum Foil Mulch on Parasitism and Fecundity of Apterous *Myzus persicae* (Homoptera: Aphididae), 171.

SUBJECT INDEX

Abagrotis alternata, 91.
Abagrotis barnesi, 91.
Abagrotis placida, 90.
Acanalonia bivittata, 72.
Acanalonia conica, 71-74.
Acanaloniidae, 71-74.
Acanthocephala terminalis, 11, 12.
Achilidae, 72.
Acholla multispinosa, 16.
Acrididae, 197-204.
Acronicta afflicta, 89.
Acronicta americana, 88.
Acronicta claresceens, 89.
Acronicta dactylina, 88.
Acronicta funeralis, 88.
Acronicta grisea, 88.
Acronicta haesitata, 89.
Acronicta hasta, 88.
Acronicta impressa, 89.
Acronicta inclara, 89.
Acronicta innotata, 88.
Acronicta interrupta, 89.
Acronicta laetifica, 88.
Acronicta lepusculina, 88.
Acronicta lithospila, 89.
Acronicta noctivaga, 89.
Acronicta oblinita, 89.
Acronicta radcliffei, 88.
Acronicta retardata, 89.
Acronicta sperata, 89.
Acronicta superans, 88.
Acronicta tritona, 88.
Aedes hendersoni, 123-128.
Aedes triseriatus, 123-128.
Agraulis vanillae nigrior, 84, 205.
Agrilus anxius, 113.
Agrilus bilineatus, 113-116.
Agriopodes fallax, 94.
Agroperina dubitans, 93.
Agroperina lateritia, 93.
Agrotis ipsilon, 89.
Agrotis mollis, 89.
Agrotis venerabilis, 89.
Agrotis vetusta, 89.
Agrotis volubilis, 89.
Alfalfa caterpillar, 177.
Alfalfa weevil, 55, 57, 58.
Allagrapha aereoides, 97.
Aletia oxygala, 92.
Alohini, 49, 50.
Alydidae, 11, 12.
Alydus pilosulus, 11-13.
Alydus eurinus, 11-13.
Ambrosia beetles, 1.
Amphipyra glabella, 94.
Amphipyra pyramidoides, 94.
Anaea aidea, 205.
Anaea andria, 82.
Anaplactoides prasina, 90.
Anaplactoides pressus, 90.
Anasa armigera, 12.
Anathix puta, 93.
Anathix ralla, 93.
Anepia capsularis, 91.
Anomogyna elimata, 90.
Anomogyna jamualis, 90.
Anomgyna speciosa, 90.
Anopheles barberi, 123-128.
Anormenis septentrionalis, 72.
Anorthodes tarda, 94, 95.
Antherea polyphemus, 152, 164.
Anthocharis midea, 82, 85.
Anthocoridae, 19-21.
Anthocoris sp.
Antillocoris pilosulus, 133-135.
Apamea velata, 94.
Apanteles medicaginis, 177.
Aphididae, 141, 171-176.
Aphidius ervi, 171-176.
Aphids, 141, 171-176.
Apiomerus crassipes, 16.
Aradidae, 137-139.
Aradus cinnamomeus, 138.
Aradus crenatus, 138.
Aradus niger, 138.
Araneae, 63-68.
Archimerus alternatus, 12.
Arctogeophilus umbraticus, 60.
Arenophilus bipuncticeps, 60.
Argyrostrotis anilis, 98.
Arhyssus lateralis, 12.
Arilus cristatus, 16.
Armyworm, 92.
Artogeia rapae, 82.
Arzama obliqua, 95.
Asiracinae, 49, 50.
Asterocampa celtis, 82.
Asterocampa clyton, 82.
Atlides halesus, 81-83.
Aufeius impressicolis, 12.
Autographa ampla, 96.
Autographa biloba, 96.
Autographa brassicae, 96.
Autographa mappa, 97.
Autographa precationis, 97.
Baileya doubledayi, 96.
Baileya ophthalmica, 96.
Balsa malana, 95.
Bark beetles, 1.
Basilarchia archippus, 82.

Basilarchia arthemis astyanax, 82.
Battus philenor, 82, 85.
Bellura diffusa, 95.
Bellura melanopyga, 95.
Belonochilus numenius, 134.
Berytidae, 134.
Black Cutworm, 89.
Black witch, 98, 99.
Bleptina caradrinalis, 100.
Blissus leucopterus, 134.
blueberry cutworm, 91.
Bombycia algens, 92.
Bomolocha abalienalis, 99.
Bomolocha baltimoralis, 99.
Bomolocha bijugalis, 99.
Bomolocha deceptalis, 99.
Bomolocha ediatalis, 99.
Bomolocha palparia, 99.
Bothropolys multidentatus, 61.
Brachygeophilus parki, 60.
Brachygeophilus rupestris, 60.
Braconidae, 109-112, 171-177.
bristly cutworm, 91.
Bronze birch borer, 113.
Bruchomorpha oculata, 72.
Bruchomorpha tristis, 72.
Buck moth, 163.
Buethobius huestoni, 61.
Buprestidae, 113-116.
Cabbage looper, 96.
Caenurgina erechtea, 98.
Caenurgina crassiuscula, 98.
Calliodis temnostethoides, 20.
Calliphoridae, 191.
Callosamia angulifera, 164.
Callosamia promethea, 159-165.
Callosamia securifera, 164.
Calpe canadensis, 99.
Calycopis cecrops, 84.
Camnula pellucida, 197, 201, 202.
Camptylochila aemula, 99.
Camptylochila americalis, 99.
Camptylochila diminuendis, 99.
Camptylochila lubricalis, 99.
Camptylochila rotundalis, 99.
Capis curvata, 96.
Capeus quadrivittatus, 23.
Catocala antinympha, 97.
Catocala blandula, 98.
Catocala briseis, 97.
Catocala cara, 98.
Catocala cerogama, 97.
Catocala coelebs, 97.
Catocala concumbens, 98.
Catocala grynea, 98.
Catocala ilia, 97.
Catocala meskei, 98.
Catocala mira, 98.
Catocala parta, 97.
Catocala relicta, 97.
Catocala semirelicta, 97, 98.
Catocala similis, 97, 98.
Catocala sordida, 98.
Catocala ultronia, 98.
Carabidae, 206.
Carphoborus bifurcus, 4.
Catocala unijuga, 97.
Catonia bicinctura, 72.
Catonia nava, 72.
Catonia picta, 72.
Catonia pumila, 72.
Cedusa sp., 72.
Celastrina argiolus pseudargiolus, 81, 82.
Celastrina ebenina, 82, 205.
Celery looper, 96.
Centipedes, 59-62.
Cerambycidae, 179, 180.
Cercyonis pegala olympus, 84.
Cerma cora, 94.
Chalcididae, 113-116.
Chamyris cerintha, 96.
Charadra deridens, 88.
Charidryas nycteis, 82.
Cheiropachus colon, 112.
Chilenophilidae, 60.
Chilopoda, 59-62.
Chironomidae, 185-190.
Chorthippus parallelus, 197.
Chramesus chapuisii, 4.
Chramesus hicoriae, 4.
Chrysaspidia contexta, 96.
Chrysaspidia putnami, 96.
Chrysaspidia venusta, 97.
Chrysomela scripta, 181-184.
Chrysomelidae, 31, 181-184.
Chytolita petrealis, 99.
Chytolita morbidalis, 99.
Chytonix palliatricula, 94.
Chytonix sensilis, 94.
Cicadellidae, 145-150.
Cimicoidea, 19-22, 133, 137.
Cixiidae, 71-74.
Cixius sp., 72.
Cleridae, 114.
Clossiana bellona, 84.
Clover cutworm, 91.
Clover leaf weevil, 55, 57, 58.
Clover looper, 98.
Cnesinus strigicollis, 4.
Coleoptera, 1-9, 55, 57, 58, 77-79, 109-112, 113-116, 142, 179-184, 206.
Colias eurytheme, 82, 177.
Colias philodice, 82.
Conopthorus coniperda, 8.
Conopthorus resinosae, 8.
Coreidae, 11-13.
Coreoidea, 11-13, 15, 19, 133, 137.
Corn earworm, 88, 95.
Corthylus, 2.
Corthylus columbianus, 8.
Corthylus punctatissimus, 8.
Corythucha ciliata, 137-139.
Corythucha cydoniae, 37-43, 138.
Corythucha juglandis, 138.
Corythucha marmorata, 138.
Corythucha pallida, 138.
Cosmia calami, 95.
Cottonwood leaf beetle, 181-184.
Crocigrapha normani, 92.
Crophius disconotus, 133-135,

Crymodes devastator, 93.
Cryphalini, 2.
Cryphula trimaculata, 134.
Cryptocala acadiensis, 90.
Cryptopidae, 59.
Cryptopinae, 59.
Cryptops hyalinus, 59.
Crypturgus pusillus, 1, 2, 6.
Crytorhynchus lapathi, 5.
Ctenopelmatinae, 117-122.
Cucullia asteroides, 92.
Cucullia postera, 92.
Culex pipiens, 124.
Culex restuans, 124.
Culicidae, 123-129.
Curculionidae, 55, 57, 58.
Cyllopsis gemma, 83.
Cymatodera bicolor, 114.
Cymus angustatus, 134.
Cymus discors, 134.
Danaidae, 83.
Danaus plexippus, 83.
Dark-sided cutworm, 89.
Delphacidae, 49, 50, 71-74, 131.
Delphacinae, 49, 50.
Delphacini, 49, 50.
Delphacodes campestris, 72.
Delphacodes lutulenta, 72.
Delphacodes puella, 72.
Delphacodes recurvata, 72.
Delphacodes rotundata, 72.
Dendroctonus simplex, 4.
Dendrosoter protuberans, 109-112.
Derbidae, 72.
Dermestidae, 142.
Diarsia jucunda, 90.
Diarsia rubifera, 90.
Dictyopharidae, 45-48, 72.
Dignathodontidae, 60.
Dingy cutworm, 89, 90.
Diprionidae, 177, 178.
Diptera, 123-129, 177, 185-195.
Dryocoetes autographus, 6.
Dryocoetes granicollis, 6.
Dusky cutworm, 89.
Eastern tent caterpillar, 51-53.
Edwardsiana rosae, 37.
Elaphidion villosus, 179, 180.
Elaphidionoides parallelus, 179, 180.
Elaphria festivoides, 94.
Enargia decolor, 95.
Enargia infumata, 95.
Entedon leucogramma, 109-112.
Entomophthora phytonomi, 55, 57, 58.
Entomophthora punctata, 58.
Ephemera procera, 69.
Ephemeroptera, 69, 151-157.
Epiptera pallida, 72.
Epizeuxis lituralis, 99.
Epizeuxis ochreipennis, 99.
Epizeuxis pedipilalis, 99.
Erastria albidula, 96.
Erastria bellicula, 95.
Erastria carneola, 96.
Erastria muscosula, 96.
Erastria synochitis, 96.
Erebus odora, 98, 99.
Eremobina jocasta, 93.
Eremocoris fenus, 134.
Eriophyidae, 169.
Escaryus missouriensis, 60.
Ethopolyinae, 61.
Euagrotis forbesi, 90.
Euagrotis lubricans, 90.
Eucirrhoedia pampina, 93.
Euclidina cuspidea, 98.
Eueretagrotis attenta, 90.
Eueretagrotis perattenta, 90.
Euherrichia monetifera, 94.
Eulophidae, 109-112.
Euparthenos nubilis, 98.
Euphydryas phaeton ozarkae, 82.
Euplexia benesimilis, 94.
Euptoieta claudia, 82.
Eurema lisa, 82, 85.
Eurema nicippe, 82, 85.
Euristrymon ontario, 84.
Eurois occulta, 90.
European elm bark beetle, 2, 5, 109-112.
European Pine Sawfly, 177-178.
Eurotype confragosa, 93.
Eurytides marcellus, 82.
Euthisanotia grata, 95.
Euthochtha galeator, 12.
Euxoa albipennis, 89.
Euxoa declarata, 89.
Euxoa detersa, 89.
Euxoa divergens, 89.
Euxoa messoria, 89.
Euxoa mimallonis, 89.
Euxoa ochrogaster, 89.
Euxoa perpolita, 89.
Euxoa pleuritica, 89.
Euxoa redimicula, 89.
Euxoa scandens, 89.
Euxoa servita, 89.
Euxoa sinelinea, 89.
Euxoa tessellata, 89.
Euxoa tristicula, 89.
Everes comyntas, 82, 85.
Exyra rolandiana, 95.
Faronta diffusa, 92.
Feltia ducens, 89.
Feltia geniculata, 90.
Feltia herilis, 89, 90.
Feltia subgothica, 90.
Feniseca tarquinius, 84.
Flatidae, 72.
Forest tent caterpillar, 52, 169, 177.
Fourlined plant bug, 23-35.
Fulgoroidea, 45-48, 71-75, 131.
Galgula partita, 95.
Gargaphia solani, 137-139.
Gargaphia tiliae, 138.
Garibius opicolens, 61.
Geocoris punctipes, 133-135.
Geocoris uliginosus, 134.
Geometridae, 88.
Geophilidae, 60.
Geophilomorpha, 60.

Geophilus ampyx, 60.
Geophilus mordax, 60.
Geophilus vitattus, 60.
Giant silkworm moths, 159-165.
Glassy cutworm, 93.
Gnathotrichus materiarius, 8.
Graphiphora badinodis, 90.
Graphiphora bicarnea, 90.
Graphiphora c-nigrum, 90.
Graphiphora collaris, 90.
Green peach aphid, 171-176.
Graphiphora normaniana, 90.
Graphiphora smithii, 90.
Graphiphora tenuicula, 90.
Greasy cutworm, 89.
Gypsy moth, 103-108.
Hadena arctica, 93.
Haploolophus mollissima, 94.
Harkenclenus titus, 84.
Harmostes fraterculus, 12.
Harmostes reflexulus, 12.
Harrisimemna trisignata, 89.
Hawthorn lace bug, 37-43.
Heliconiidae, 84, 205.
Heliconius charitonius, 205.
Helicoverpa zea, 88, 95.
Heliothis obsoleta, 88, 95.
Heliothis subflexus, 95.
Helopeltis bergrothi, 32.
Hemileuca maia, 163.
Hemiptera, 11-13, 15-17, 19-22, 23-35, 37-43, 70, 133-136, 137-140, 141-144.
Hemiscolopendra punctiventris, 59.
Henicopidae, 61.
Heptageniidae, 151-157.
Heptagrotis phyllophora, 90.
Heraeus plebejus, 134.
Hesperiidae, 205.
Homoglaea hircina, 93.
Homohadena badistriga, 92.
Homoptera, 45-50, 71-75, 131, 141, 145-150, 171-176.
Hoplistoscelis sordidus, 20.
Hormisa absorptalis, 99.
Hormorthodes furfurata, 92.
Hylastinus obscurus, 2.
Hylesininae, 2, 4.
Hylesinus acculeatus, 2.
Hylesinus criddlei, 2.
Hylesinus fasciatus, 4.
Hylesinus pruinosus, 4.
Hyllolycaena hyllus, 82.
Hylocurus rudis, 5.
Hylocurus bicornus, 5.
Hylurgopinus opaculus, 4.
Hylurgops pinifex, 2.
Hymenoptera, 109-112, 113-116, 117-122, 171-178.
Hypenodes caducus, 99.
Hypera postica, 55, 57, 58.
Hypera punctata, 55, 57, 58.
Hyperbatus marmoratus, 117, 120-122.
Hypogymna dispar, 103.
Hypothenemus, 1, 9.
Hypothenemus californicus, 7.
Hypothenemus crudiae, 7.
Hypothenemus dissimilis, 7.
Hypothenemus eruditus, 2, 7.
Hypothenemus interstitialis, 7.
Hypothenemus rotundicollis, 7.
Hypothenemus seriatus, 7.
Hyppa xylinoides, 94.
Ichneumonidae, 117-122, 177.
Incisalia henrici, 82.
Incisalia niphon, 84.
Ipimorpha pleonectusa, 93.
Ips calligraphus, 6.
Ips grandicollis, 2.
Ips pini, 6.
Issidae, 72.
Jalysus spinosus, 134.
Jalysus wickhami, 134.
Kleidocerys resedae, 134.
Kolenetrus planus, 134.
Lacinipolia anguina, 91.
Lacinipolia lorea, 91.
Lacinipolia lustralis, 91.
Lacinipolia meditata, 91.
Lacinipolia olivacea, 91.
Lacinipolia renigera, 91.
Lamyctes fulvicornis, 61.
Large orange sulphur, 205.
Lasiocampidae, 51-53.
Lasiochilus fusculus, 20.
Lasiomerus annulatus, 20.
Leafhoppers, 145-150.
Lepidoptera, 51-53, 87-101, 103-108, 141, 159-165, 177, 205.
Leptoglossus, 11.
Leptoglossus oppositus, 12.
Leptoypha costata, 138.
Lethe anthedon, 83.
Lethe creola, 81, 83.
Leucania commoides, 92.
Leucania inermis, 92.
Leucania insueta, 92.
Leucania luteopallens, 92.
Leucania multilinea, 92.
Leucania phragmatidicola, 92.
Leucania pseudargyria, 92.
Leucania unipuncta, 92.
Leuconycta diphteroides, 94.
Liburniella ornata, 50, 71-74.
Libytheana bachmanii, 82.
Libytheidae, 82.
Ligyrocoris diffusus, 134.
Liorhyssus hyalinus, 12.
Liphyridae, 84.
Lithobiidae, 61.
Lithobiinae, 61, 62.
Lithobiomorpha, 61.
Lithobius forficatus, 61.
Litholomia napaea, 92.
Lithomoia solidaginis, 92.
Lithophane fagina, 92.
Lithophane pexata, 92.
Locusta migratoria, 202.
Lomanaltes eductalis, 99.
Lophyroplectus oblongopunctatus, 177.
Luperina passer, 93.

Lycaena phlaeas americana, 82.
Lycaenidae, 81-85, 205.
Lycosidae, 63-68.
Lyctocoris campestris, 20.
Lyctocoris stalii, 20.
Lygaeidae, 133-135.
Lygaeoidea, 133-136, 137.
Lygaeus kalmii, 134.
Lygaeus turcicus, 134.
Lygus disponsi, 32.
Lygus lineolaris, 23, 24.
Lymantria dispar, 103-108.
Lymantriidae, 103-108.
Lymator decipiens, 6.
Macrosteles fascifrons, 145-150.
Malacosoma americanum, 51-53.
Malacosoma disstria, 52, 169, 177.
Malacosoma neustria, 52.
Marathyssa inficita, 96.
Mayflies, 69, 151-157.
Mecidea longula, 70.
Mecidea major, 70.
Mecidea minor, 70.
Megamelus davisi, 49, 50.
Megamelus ungulatus, 72.
Megisto cymela, 83.
Melanolestes abdominalis, 16.
Melanolestes picipes, 16.
Melanoplus differentialis, 202.
Melanoplus femurrubrum, 197-204.
Melanoplus sanguinipes, 197-201.
Melanorhopala infuscata, 138.
Merocoris distinctus, 12.
Mesephemera lithophila, 69.
Mesephemera procera, 69.
Mesephemeridae, 69.
Metalectra quadrisigmata, 99.
Metalepsis fishii, 90.
Metcalfa pruinosa, 72.
Mezira granulata, 138.
Mezira lobata, 138.
Micracis suturalis, 5.
Micracis swainei, 5.
Micropsectra dives, 186, 188, 189.
Micropsectra polita, 185-190.
Miridae, 23-35.
Mirinae, 23-35.
Mites, 37, 141, 169.
Mitoura gryneus, 82, 85.
Monarthrum, 9.
Monarthrum fasciatum, 8.
Monarthrum mali, 9.
Mosquitoes, 123-129.
Mottled gray cutworm, 91.
Muscidae, 191-195.
Myndus pictifrons, 72.
Myodocha serripes, 134.
Myzus persicae, 171-176.
Nabidae, 19-21.
Nabis americoferus, 19-21.
Nabis capsiformis, 20.
Nabis roseipennis, 19-21.
Nadabius ameles, 61.
Nadabius holzingeri, 61.
Nadabius iowensis, 61.
Nadabius pullus, 61.
Nampabius virginiensis, 61.
Narvesus carolinensis, 16.
Nathalis iole, 82.
Neacoryphus bicrucis, 134.
Nedra ramosula, 94.
Neides muticus, 134.
Neodiprion sertifer, 177-178.
Neolithobius mordax, 61.
Neolithobius tyrannus, 61.
Neolithobius voracior, 61, 62.
Nephelodes minians, 92.
Nersia florens, 45-48.
Neuroctenus sp., 138.
Noctuidae, 87-101.
Nymphalidae, 82, 83, 205.
Nymphalis antiopa, 83.
Nysius niger, 134.
Oak twig pruner, 179, 180.
Ochropleura plecta, 90.
Oecleus borealis, 72.
Oliarus aridus, 72.
Oliarus ecologus, 71-74.
Oliarus quinquelineatus, 71-74.
Oligia bridghami, 93.
Oligia illocata, 93.
Oligia mactata, 93.
Oligia minuscula, 93.
Oligia tonsa subjuncta, 93.
Oncocephalus geniculatus, 16.
Oncocnemis piffardi, 92.
Oncocnemis riparia, 92.
Orius insidiosus, 19-21, 141-144.
Orius tristicolor, 144.
Ormenoides venusta, 72.
Orthodes crenulata, 92.
Orthodes cynica, 92.
Ortholomus scolopax, 134.
Orthopodomyia alba, 123-128.
Orthopodomyia signifera, 123-128.
Orthoptera, 197-204.
Orthosia hibisci, 92.
Orthosia revicta, 92.
Orthotomicus caelatus, 2, 6.
Owlet-moth, 103.
Pachybrachius basalis, 134.
Pachybrachius bilobatus, 134.
Pachymerium ferrugineum, 60.
Pagasa fusca, 20.
Paitobius juventus, 62.
Palthis angulalis, 100.
Pangrapta decoralis, 99.
Panopoda rufimargo, 99.
Panthea acronyctoides, 88.
Panthea furcilla, 88.
Papaipema appassionata, 94.
Papaipema furcata, 94.
Papaipema marginidens, 94.
Papaipema purpurifascia, 94.
Papilio cresphontes, 82.
Papilio glaucus, 82.
Papilio polyxenes asterius, 82.
Papilio troilus, 82.
Papilionidae, 82, 85.
Papilionoidea, 81-85.

Paradiarsia littoralis, 90.
Parallelia bistriaris, 98.
Parastichtis discivaria, 93.
Pardosa distincta, 63, 65, 67.
Pardosa fuscula, 63, 65.
Pardosa groenlandica, 63, 65.
Pardosa hyperborea, 63.
Pardosa lapidicina, 63, 65, 67.
Pardosa mackenziana, 64, 66, 67.
Pardosa milvina, 64, 66, 67.
Pardosa modica, 64, 66, 67.
Pardosa moesta, 65-67.
Pardosa saxatilis, 66-68.
Pardosa xerampelina, 66-68.
Pasimachus elongatus, 206.
Peridroma saucia, 90.
Parrhasius m-album, 82.
Pentagramma variegata, 50.
Pentatomidae, 70.
Pentatomoidea, 11, 15, 19, 133, 137.
Phasgonophora sulcata, 113-116.
Philometra eumelusalis, 99.
Philometra hanhami, 99.
Philometra metonalis, 99.
Phlegyas abbreviatus, 134.
Phloeosinus dentatus, 4.
Phloeosinus taxodii, 4.
Phloeotribus dentifrons, 4.
Phloeotribus frontalis, 4.
Phloeotribus liminaris, 4.
Phloeotribus scabricollis, 4.
Phlogophora iris, 94.
Phlogophora periculosa, 94.
Phoebis agarithe, 205.
Phoebis philea, 205.
Phoebis sennae eubule, 82, 205.
Phrictopyga occidentalis, 131.
Phyciodes tharos, 83.
Phymata americana, 15, 16.
Phymata f. fasciata, 16.
Phymata pennsylvanica, 16.
Phymatidae, 15, 16.
Physatocheila brevirostris, 138.
Physatocheila variegata, 138.
Physobius rappi, 62.
Pieridae, 82, 85, 205.
Piesma cinerea, 134.
Piesmatidae, 134.
Pikonema alaskensis, 117-122.
Piesonotus brunneus, 72.
Pityogenes hopkinsi, 2, 6.
Pityophthorus consimilis, 8.
Pityophthorus crinalis, 8.
Pityophthorus lautus, 8.
Pityophthorus opaculus, 2, 8.
Pityophthorus puberulus, 2, 8.
Pityophthorus pulicarius, 8.
Pityophthorus scriptor, 8.
Pityophthorus virilis, 8.
Plantain looper, 97.
Planthoppers, 71-75.
Plathypena scabra, 99.
Platyperigea meralis, 95.
Platyperigea multifera, 95.
Platypolia anceps, 92, 93.
Plusia balluca, 97.
Plusia aereoides, 97.
Pnirontis modesta, 16.
Poecilocapsus lineatus, 23-35.
Pokabius bilabiatus, 62.
Polia adjuncta, 91.
Polia assimilis, 91.
Polia detracta, 91.
Polia goodellii, 91.
Polia grandis, 91.
Polia imbrifera, 91.
Polia ingravis, 91.
Polia legitima, 91.
Polia lutra, 91.
Polia nimbosa, 91.
Polia obscura, 91.
Polia pulverulenta, 91.
Polia purpurissata, 91.
Polia radix, 91.
Polia rugosa, 91.
Polia tacoma, 91.
Polygonia comma, 83.
Polygonia interrogationis, 83.
Polygonia progne, 83.
Polygraphus rufipennis, 4.
Pontia protodice, 82.
Precis coenia, 83.
Prodenia ornithogalli, 95.
Prokelisia crocea, 50.
Protagrotis niveivenosa, 93.
Protolampra brunneicollis, 90.
Protolampra rufipectus, 90.
Protoleucania albilinea, 92.
Protorthodes incincta, 92.
Protorthodes oviduca, 92.
Proxenus miranda, 95.
Psaphida grotei, 92.
Psectraglaea carnosa, 93.
Pselliopus barberi, 16.
Pselliopus cinctus, 16.
Pseudocnemodus canadensis, 134.
Pseudopityophthorus asperulus, 8.
Pseudopityophthorus minutissimus, 8.
Pseudopityophthorus pruinosus, 8.
Pseudoplusia includens, 97.
Pseudospaelotis haruspica, 90.
Pseudothysanoes dislocatus, 5.
Pseudothysanoes lecontei, 5.
Pseudothysanoes rigidus, 5.
Ptochiomera nodosa, 134.
Pygolampis pectoralis, 16.
Pygolampis sericea, 16.
Pyracantha lace bug, 37.
Pyrrhia exprimens, 95.
Pyrrhia umbra, 95.
Quince tingis, 37.
Raphia abrupta, 88.
Raphia frater, 88.
Redbacked cutworm, 89.
Redlegged grasshopper, 197-204.
Reduviidae, 15-17.
Reduvioidea, 15-17, 133, 137.
Renia larvalis, 100.
Renia flavipunctalis, 100.
Rhodophora florida, 95.

Rhopalidae, 11, 12.
Rhorus bartelti, 117-119.
Rhorus gaspesianulus, 117, 119, 120.
Rhynchagrotis anchocelioides. 91.
Rhynchagrotis cupida, 91.
Rivula propinqualis, 99.
Rose leafhopper, 37.
Sahlbergella singularis, 32.
Sandhill cutworm, 89.
Sarcophaga aldrichi, 177.
Sarrothripus revayana, 96.
Saturniidae, 159-165.
Satyridae, 81, 83.
Satyrium calanus falacer, 82.
Satyrium caryaevorus, 84.
Satyrium liparops strigosa, 84.
Scarabaeidae, 77-79.
Scaritini, 206.
Schendyla nemorensis, 60.
Schendylidae, 60.
Schinia florida, 95.
Schinia marginata, 95.
Scoliopteryx libatrix, 99.
Scolobatinae, 117.
Scolopendra viridis, 59, 60.
Scolopendridae, 59, 60.
Scolopendromorpha, 59, 60.
Scolopocryptops nigridius, 59.
Scolopocryptops rubiginosus, 59.
Scolopocryptops sexspinosus, 59.
Scolops angustatus, 72.
Scolops pungens, 72.
Scolops sulcipes, 72.
Scolytidae, 1-9, 109-112.
Scolytinae, 5-9, 109-112.
Scolytus mali, 2, 5.
Scolytus multistriatus, 2, 5, 109-112.
Scolytus muticus, 5.
Scolytus piceae, 5.
Scolytus quadrispinosus, 5.
Scolytus rugulosus, 2, 5.
Scotogramma trifolii, 91.
Scutigera coleoptrata, 60, 61.
Scutigeridae, 60, 61.
Scutigeromorpha, 60, 61.
Septis alia, 93.
Septis amputatrix, 93.
Septis arctica, 93.
Septis cariosa, 93.
Septis impulsa, 93.
Septis inordinata, 93.
Septis lignicolor, 93.
Septis nigrior, 93.
Septis vultuosa, 93.
Sideridis congermana, 91.
Sigibius urbanus, 62.
Sinea complexa, 16.
Sinea diadema, 15-17.
Sinea spinipes, 15-17.
Sonibius bius, 62.
Sonibius politus, 62.
Soybean looper, 97.
Sozibius proridens, 62.
Spaelotis clandestina, 90.
Spathius benefactor, 112.
Speyeria cybele, 83.
Spotted cutworm, 90.
Spotted-sided cutworm, 90.
Stenacron interpunctatum, 151-157.
Stenonema pulchellum, 151-157.
Stictopleurus punctiventris, 12.
Stobaera tricarinata, 50, 72.
Strigamia bidens, 60.
Strigamia bothriopa, 60.
Strigamia branneri, 60.
Strigamia chionophila, 60.
Striped cutworm, 89.
Striped garden caterpillar, 91.
Strymon melinus humuli, 82, 85.
Suwira bicolorago, 93.
Sweet-fern underwing, 97.
Syndipnus gaspesianus, 117, 120.
Syndipnus rubiginosus, 117.
Synecdoche impunctata, 72.
Synedoida adumbrata alleni, 99.
Synedoida grandivena, 99.
Syngrapha alias, 96.
Syngrapha cryptica, 96.
Syngrapha epigaea, 96.
Syngrapha falcifera, 96.
Syngrapha octoscripta, 96.
Syngrapha rectangula, 96.
Syngrapha viridisigma, 96.
Syntames uhleri, 72.
Talyuna opita, 60.
Tanytarsus politus, 185.
Tarachidia erastrioides, 96.
Tarnished plant bug, 23, 24.
Tenebroides corticalis, 114.
Tenthredinidae, 117-122.
Tetranychidae, 37.
Theatopinae, 59.
Theatops posticus, 59.
Theatops spinicaudus, 59.
Thionia simplex, 72.
Thrips, 141.
Thysanoes fimbricornis, 5.
Tidabius tivius, 62.
Tidabius suitus, 62.
Tidabius plesius, 62.
Tingidae, 37-43, 137-139.
Tobacco budworm, 95.
Toxorhynchites, 128.
Trachea delicata, 94.
Tricholita signata, 92.
Trichoplusia ni, 96.
Trischidias, 9.
Trischidias atoma, 7.
Trogoderma glabrum, 142.
Trogositidae, 114.
Tropidocephalini, 49, 50.
Twolined chestnut borer, 113-116.
Ufeus satyricus, 91.
Ulolonche culea, 92.
Ulolonche modesta, 92.
Valgus canaliculatus, 77.
Valgus californicus, 77.
Valgus hemipterus, 77-79.
Valgus seticollis, 77.
Vanessa atalanta rubria, 83.

Vanessa cardui, 83.
Vanessa virginiensis, 83.
Variegated cutworm, 90.
Wheat armyworm, 92.
White birch underwing, 97.
White cutworm, 89.
Wolf Spiders, 63-68.
Wyeomyia smithii, 123.
Xanthia lutea, 93.
Xyleborinus saxeseni, 2, 6.
Xyleborus affinus, 2, 6.
Xyleborus celsus, 6.
Xyleborus dispar, 2, 7.
Xyleborus ferrugineus, 2, 7.
Xyleborus obesus, 7.
Xyleborus rubricollis, 2, 7.
Xyleborus sayi, 7.
Xyleborus tachygraphus, 7.
Xyleborus xylographus, 7.
Xylena curvimacula, 92.
Xylomoia chagnoni, 93.
Xylosandrus germanus, 2, 7.
Xyloterinus politus, 6.
Xyonysius californicus, 134.
Yellow-banded underwing, 97.
Yellow-headed cutworm, 93.
Yellowheaded spruce sawfly, 117-122.
Zale duplicata, 98.
Zale horrida, 98.
Zale lunata, 98.
Zale metatoides, 98.
Zale minerea, 98.
Zale obliqua, 98.
Zale undularis, 98.
Zebra butterfly, 205.
Zerene cesonia, 82.
Zeridoneus costalis, 134.
Zoophthora phytonomi, 56, 57.

C15